CLAIMS

What is claimed is:

5

10

15

20

25

30

A ceramic composite having high temperature stability, comprising:

 a first ceramic material selected from the group consisting of monazites and
 xenotimes and having a stoichiometric ratio between a metal of the first ceramic material and a phosphate of the first ceramic material of about 1:1;

a second ceramic material combined with said first ceramic material to form the ceramic composite; and

one of said first and second ceramic materials forming a ceramic matrix with the other of said ceramic materials embedded in said ceramic matrix;

- 2. The ceramic composite of Claim 1 wherein the metal of the first ceramic material is selected from the group consisting of lanthanum, cerium, yttrium, and combinations thereof.
- 3. The ceramic composite of Claim 1 wherein the coating composition further comprises an inert powder.
- 4. The ceramic composite of Claim 3 wherein the inert powder is Al₂O₃, zirconia, YAG, mullite, or compositions thereof.
- 5. The ceramic composite of Claim 1 wherein the coating composition further comprises SiC additives.
- 6. The blanket according to Claim 1, wherein the monazite or xenotime is synthesized by forming a precipitate from an aqueous solution comprising a lanthanide salt and a phosphate, washing the precipitate with water, and washing the precipitate with an organic base with a pH of greater than about 12.
- 7. The blanket according to Claim 6, wherein the organic base is tetramethylammonium hydroxide.

Boeing Ref. 97ST061A (013794) HDP Ref. 7784-000154DVA

5

10

15

- 8. An insulating blanket having high temperature stability, comprising:
- a ceramic fabric including ceramic fibers; and
- a coating on the fibers of a first ceramic material selected from the group consisting of monazites and xenotimes and having a stoichiometric ratio between a metal of the first ceramic material and a phosphate of the first ceramic material of about 1:1.
- 9. The blanket according to Claim 8, wherein the monazite or xenotime is synthesized by forming a precipitate from an aqueous solution comprising a lanthanide salt and a phosphate, washing the precipitate with water, and washing the precipitate with an organic base with a pH of greater than about 12.
- 10. The blanket according to Claim 9, wherein the organic base is tetramethylammonium hydroxide.
- 11. The blanket according to Claim 8, wherein the coating further comprises a SIC additive.
- 12. The blanket according to Claim 8, wherein the coating further 20 comprises an inert powder.
 - 13. The blanket according to Claim 8, wherein the inert powder is Al₂O₃, zirconia, YAG, mullite, or compositions thereof.
- 25 14. The blanket according to Claim 8, wherein the metal further comprises lanthanum, cerium, yttrium, or combinations thereof.

15. A mobile platform comprising:

a body having an area to be exposed to temperatures of at least about 2000 degrees Fahrenheit; and

an insulating blanket covering the area and having

a ceramic fabric including ceramic fibers; and

a coating on the fibers of a first ceramic material selected from the group consisting of monazites and xenotimes and having a stoichiometric ratio between a metal of the first ceramic material and a phosphate of the first ceramic material of about 1:1.

10

5

- 16. The mobile platform according to Claim 15, further comprising a reentry vehicle.
- 17. The mobile platform according to Claim 15, wherein the monazite or xenotime is synthesized by forming a precipitate from an aqueous solution comprising a lanthanide salt and a phosphate, washing the precipitate with water, and washing the precipitate with an organic base with a pH of greater than about 12.
- 20 18. The mobile platform according to Claim 17, wherein the organic base is tetramethylammonium hydroxide.
 - 19. The mobile platform according to Claim 15, wherein the coating further comprises a SIC additive.

25

- 20. The mobile platform according to Claim 15, wherein the coating further comprises an inert powder.
- 21. The mobile platform according to Claim 15, wherein the inert 30 powder is Al₂O₃, zirconia, YAG, mullite, or compositions thereof.
 - 22. The mobile platform according to Claim 15, wherein the metal further comprises lanthanum, cerium, yttrium, or combinations thereof.